



áspero

C O L L E C T I O N



60x120cm | 60x60cm
FULLBODY VITRIFIED TILES



áspero
COLLECTION



60x120cm
Colorbody vitrified tiles

10mm
Thickness



DOGE ROCK BLANCO




DOGE ROCK CREMA



DOGE ROCK GRIS



DOGE ROCK TERRA



DOGE ROCK NERO

RUSTIC
FINISH



PREVIEW OF **DOGE ROCK CREMA** + **DOGE ROCK TERRA**



áspero
COLLECTION



60x120cm
Colorbody vitrified tiles

10mm
Thickness



ESTEL ROCK BLANCO



ESTEL ROCK CREMA



ESTEL ROCK GRIS



ESTEL ROCK TERRA



ESTEL ROCK NERO

RUSTIC
FINISH



PREVIEW OF **ESTEL ROCK BLANCO + ESTEL ROCK NERO**




áspero
COLLECTION




60x120cm
Fullbody vitrified tiles


10mm
Thickness



GRANITE CREMA



GRANITE BLANCO




GRANITE TERRA



GRANITE GRIS



GRANITE SAHARA



GRANITE NERO



GRANITE CHOCO

MATT
FINISH



PREVIEW OF **GRANITE CREMA + GRANITE TERRA**



áspero
COLLECTION




60x120cm
Fullbody vitrified tiles

10mm
Thickness



MOSAIC BLANCO



MOSAIC AMBER



MOSAIC GREY



MOSAIC DESERT



MOSAIC MOUNTAIN



MOSAIC COPPER



MOSAIC BLACK DIAMOND

Also Available in 60x60cm

MATT
FINISH



PREVIEW OF **MOSAIC MOUNTAIN + MOSAIC BLACK DIAMOND**




áspero
COLLECTION




60x120cm
Fullbody vitrified tiles

10mm
Thickness




TORO THUNDER




TORO SAND




TORO SMOKE




TORO SILVER




TORO STROM



TORO GRIS



TORO COPPER



TORO NERO

Also Available in 60x60cm

MATT
FINISH



PREVIEW OF **TORO SMOKE + TORO NERO**



áspero
COLLECTION



60x60cm
Fullbody vitrified tiles

10mm
Thickness



MOSAIC MOUNTAIN




MOSAIC AMBER




MOSAIC GREY



MOSAIC DESERT




MOSAIC BLANCO



MOSAIC COPPER



MOSAIC BLACK DIAMOND



Also Available in 60x120cm

MATT
FINISH



PREVIEW OF **MOSAIC AMBER + MOSAIC DESERT**




áspero
COLLECTION




60x60cm
Fullbody vitrified tiles

10mm
Thickness




TORO THUNDER




TORO SAND



TORO STROM



TORO SILK



TORO SMOKE




PREVIEW OF **TORO SMOKE**

Also Available in 60x120cm


MATT
FINISH




PREVIEW OF **TORO SILVER**




TORO SILVER



TORO ASH



TORO GRIS



TORO COPPER



TORO VERDE



TORO NERO



áspero
COLLECTION



60x60cm

Fullbody vitrified tiles

16mm
Thickness



PREVIEW OF **GRANITE CHOCO**

MATT
FINISH



GRANITE CREMA



GRANITE TERRA




GRANITE SAHARA




GRANITE CHOCO




GRANITE BLANCO



GRANITE GRIS



GRANITE VERDE



GRANITE NERO




áspero
COLLECTION



60x60cm

Fullbody vitrified tiles

10mm
Thickness



GRANITE CREMA




GRANITE TERRA




GRANITE SAHARA



GRANITE CHOCO




GRANITE BLANCO



GRANITE GRIS



GRANITE VERDE



GRANITE NERO



MATT
FINISH



PREVIEW OF **GRANITE VERDE**

TECHNICAL SPECIFICATION OF FULLBODY VITRIFIED TILES

	CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	MEAN VALUE OF OUR COLORBODY / FULLBODY VITRIFIED TILES		TEST METHOD
			16 mm	10 mm	
Regulatory Properties	Deviation In Length & Width	± 0.50%	± 0.20%	± 0.20%	ISO-10545-2
	Deviation In Thickness	± 5.00%	± 4.00%	± 4.00%	ISO-10545-2
	Straightness Of Sides	± 0.50%	± 0.10%	± 0.10%	ISO-10545-2
	Rectangularity	± 0.50%	± 0.20%	± 0.20%	ISO-10545-2
	Surface Flatness	± 0.50%	± 0.20%	± 0.20%	ISO-10545-2
	Color Differences	Unaltered	No Change	No Change	ISO-10545-16
Structural Properties	Water Absorption	< 0.50%	< 0.50%	< 0.05%	ISO-10545-3
	Apparent Density	> 2.00 g/cc	> 2.28 g/cc	> 2.28 g/cc	DIN 51082
Massive Mechanical Properties	Modulus of Rupture	Min. 35N/mm ²	Min. 45N/mm ²	Min. 45N/mm ²	ISO-10545-4
	Breaking Strength	Min. 1300 N	Min. 7500 N	Min. 2000 N	ISO-10545-4
	Impact Resistance	As Per Mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
Surface Mechanical Properties	Deep Abrasion Resistance	Max. 175mm ³	Max. 132mm ³	Max. 132mm ³	ISO-10545-6
	Moh's Hardness	Min. 6	7	7	EN 101
	Surface Abrasion Resistance	As Per Mfg.	N. A.	N. A.	ISO-10545-7
Thermo Hygrometric Properties	Frost Resistance	No Damage	Frost Proof	Frost Proof	ISO-10545-12
	Thermal Shock Resistance	No Damage	No Damage	No Damage	ISO-10545-9
	Moisture Expansion	Nil	Nil	Nil	ISO-10545-10
	Thermal Expansion(COE)	Max. 9.0 X 10 ⁻⁶	Max. 6.5 X 10 ⁻⁶	Max. 6.5 X 10 ⁻⁶	ISO-10545-8
	Crazing Resistance	As Per Mfg.	N. A.	N. A.	ISO-10545-11
Chemical Properties	Chemical Resistance	No Damage	No Damage	No Damage	ISO-10545-13
	Stain Resistance	Resistant	Resistant	Resistant	ISO-10545-14
Safety Properties	Slip Resistance	> 0.40	> 0.40	> 0.40	ISO-10545-17

PACKING DEATIL

Product	Size	Thikness	Pcs. / Box	Weight / Box	Area / Box
	60x120cm	10mm	2	32.00 kg.	1.44 sq. mtr.
	60x60cm	10mm	4	32.00 kg.	1.44 sq. mtr.
		16mm	2	28.00 kg.	0.72 sq. mtr.

